

In addition, standing water containing mosquito larvae, in fields growing crops such as: Alfalfa, almonds, asparagus, corn, cotton, dates, grapes, peaches and walnuts, may be treated at the recommended rates.

For ground spraying, apply 1.75-14 oz/acre (50-400 g/acre; 123-988 g/ha) of VectoBac WDG in 5-100 gallons of water per acre (47-950 liters/ha) using hand-pump, airblast, mist blower, or other spray equipment.

For aerial application, apply 1.75-14 oz/acre (50-400 g/acre; 123-988 g/ha) of VectoBac WDG in 0.25-10 gallons of water per acre (2.4-93.5 liters/ha) through fixed wing or helicopter aircraft equipped with either conventional boom and nozzle systems or rotary atomizers to provide uniform coverage of the target area.

**AERIAL APPLICATION**

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determine the potential for spray drift. The applicator and the treatment coordinator are responsible for considering all of these factors when making decisions.

Rinse and flush spray equipment thoroughly following each use.

**NOTICE TO USER**

To the fullest extent permitted by law, seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

**ACCEPTED  
FOR REGISTRATION**

March 16, 2016

New York State Department  
of Environmental Conservation  
Division of Materials Management  
Pesticide Product Registration

Classified for  
"RESTRICTED USE"  
in New York State  
under 6NYCRR Part 326

Lot No.

**ACTIVE INGREDIENT:**

*Bacillus thuringiensis*, subsp. *israelensis*, strain AM 65-52

fermentation solids and solubles ..... 37.4%

OTHER INGREDIENTS ..... 62.6%

TOTAL ..... 100.0%

[Potency: 3000 International toxic units (ITU) per mg].

Equivalent to 1.36 billion ITU/lb.

The percent active ingredient does not indicate product performance and potency measurements are not Federally standardized.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

For **MEDICAL** and **TRANSPORT** Emergencies **ONLY**

Call 24 Hours A Day 1-877-315-9819.

For All Other Information Call 1-800-323-9597.

©2011



EPA Reg. No. 73049-56

EPA Est. No. 33762-IA-001

Net Contents: 1 LB

**FIRST AID**

<b>If inhaled</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

**HOT LINE NUMBER**

Have the product container label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-315-9819 for emergency medical treatment and/or transport emergency information. For all other information, call 1-800-323-9597.

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION**

Harmful if inhaled. Avoid breathing dust. Remove contaminated clothing and wash before reuse. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

**Personal Protective Equipment**

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants.
- Waterproof gloves.
- Shoes plus socks.

Mixer/loaders and applicators not in enclosed cabs or aircraft must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendations**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco products or using the toilet.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to treated finished drinking water reservoirs or drinking water receptacles when water is intended for human consumption.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**Chemigation**

Do not apply this product through any type of irrigation system.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store in cool [59-86°F (15-30°C)], dry place.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container.

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**APPLICATION DIRECTIONS**

Do not apply when wind speed favors drift beyond the area of treatment.

**Mosquito Habitat**

(Such as the following examples):  
Irrigation ditches, roadside  
ditches, flood water, standing  
pools, woodland pools, snow  
melt pools, pastures, catch basins,  
storm water retention areas, tidal  
water, salt marshes, rice fields,  
artificial containers and natural  
containers.

**Suggested  
Rate Range\***

1.75–7.0 oz/acre  
(50–200 g/acre)  
(125–500 g/ha)